



























Item	Modelos Metalicos	Imagen	Autonomia	Potencia W	Dimensiones mm	Peso Kg.	Flujo Luminoso	Area de Alcance	TIPO DE AISLAMIENTO	SIMBOLO	Caja
1	LD 21002		120 Min.	2 x 10w	310x80 (140)x130	3,2	360 lm	40 Mtrs ²	CLASE II		1
2	LD 22001		60 Min.	2 x 20w	310x80 (140)x130	3,2	720 lm	80 Mtrs ²	CLASE II		1
3	LEM 21004		180 Min.	2 x 10w	276x131x88 (289)	4,6	360 lm	40 Mtrs ²	CLAS I		1
4	LEM 22002		90 Min.	2 x 20w	276x131x88 (289)	4,6	720 lm	80 Mtrs ²	CLAS I		1
5	KS 21004		180 Min.	2 x 10w	276x125x70 (271)	4,25	360 lm	40 Mtrs ²	CLAS I		1
6	KS 22002		90 Min.	2 x 20w	276x125x70 (271)	4,25	720 lm	80 Mtrs ²	CLAS I		1

















Suite

7	KSG 21006		360 Min.	2 x 10w	272x130x108 (254)	6,0	360 lm	40 Mtrs ²	CLASE I		1
8	KSG 22003		180 Min.	2 x 20w	272x130x108 (254)	6,0	720 lm	80 Mtrs ²	CLASE I		1
9	KSG 23502		120 Min.	2 X35w	272x130x108 (254)	6,0	1280 lm	150 Mtrs ²	CLASE I		1
10	KSG 25502		60 Min.	2 x 55w	272x130x108 (254)	6,0	1900 lm	200 Mtrs ²	CLASE I		1
11	LMG 21008		360 Min.	2 x 10w	314x140x185 (304)	9,3	360 lm	40 Mtrs ²	CLASE I		1
12	LMG 21012		540 Min.	2 x 10w	314x140x185 (304)	11,0	360 lm	40 Mtrs ²	CLASE I		1
13	LMG 22004		180 Min.	2 x 20w	314x140x185 (304)	9,3	720 lm	80 Mtrs ²	CLASE I		1

14	LMG 22006		270 Min.	2 x 20w	314x140x185 (304)	11,0	720 lm	80 Mtrs ²	CLASE I		1
----	-----------	---	----------	---------	---------------------	------	--------	----------------------	---------	---	---

15	LMG 23502		120 Min.	2 x 35w	314x140x185 (304)	9,3	1200 lm	150 Mtrs ²	CLASE I		1
16	LMG 23503		180 Min.	2 x 35w	314x140x185 (304)	11,0	1200 lm	150 Mtrs ²	CLASE I		1
17	LMG 25502		120 Min.	2 x 55w	314x140x185 (304)	11,0	1900 lm	200 Mtrs ²	CLASE I		1
18	LML20605 LED		300 Min.	2 x 6w	310x130x6.5 (130)	2.2	240 lm	10 Mtrs ²	CLASE II		1
19	SDL		360 Min.	11 LED	D/T 380x45x220 ACR. 300x5x160	1,0	4000 mCd		CLASE I		1

Item	Modelos Intemperie	Imagen	Autonomia	Potencia W	Dimensiones mm	Peso Kg.	Flujo Luminoso	Area de Alcance	TIPO DE AISLAMIENTO	SIMBOLO	Caja
------	--------------------	--------	-----------	------------	----------------	----------	----------------	-----------------	---------------------	---------	------

1	LH-21002		180 Min.	2 x 10w	240x170x100 (305)	4,5	360 lm	40 Mtrs ²	CLASE II		1
2	LH-22002		90 Min.	2 x 20w	240x170x100 (305)	4,5	720 lm	80 Mtrs ²	CLASE II		1
3	LHL-21003-LED		180 Min.	2 x 10w	240x170x100 (305)	4,6	900 lm	100 Mtrs ²	CLASE I		1
4	LHG-21009		540 Min.	2 x 10w	310x240x125 (408)	11,65	360 lm	40 Mtrs ²	CLASE II		1
5	LHG-22005		270 Min.	2 x 20w	310x240x125 (408)	11,65	720 lm	80 Mtrs ²	CLASE II		1
6	LHG-23503		180 Min.	2 x 35w	310x240x125 (408)	11,65	1200 lm	150 Mtrs ²	CLASE II		1
7	LHG-25502		120 Min.	2 x 55w	310x240x125 (408)	11,65	1900 lm	200 Mtrs ²	CLASE II		1
8	LHLG-21002-LED		540 Min.	2 x 10w	310x240x125 (408)	11,65	900 lm	100 Mtrs ²	CLASE I		1

DF Suite