

PRODUCT-DETAILS

ML1-100Y

ML1-100Y Pilot Light



General Information

Extended Product Type	ML1-100Y
Product ID	1SFA611400R1003
EAN	7320500306178
Catalog Description	ML1-100Y Pilot Light
Long Description	Modular Pilot Light - Pilot light head - Yellow - Illuminated

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536619090

Popular Downloads

Data Sheet, Technical Information	1SFC151007C02_
Instructions and Manuals	1SFC151011M0201

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth /	0.033 m

Length

Product Net Weight	0.018 kg
--------------------	----------

Technical

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
Color	Yellow
Actuator Type	Pilot light head
Illumination	Illuminated
Degree of Protection	Front IP66
Enclosure Type NEMA	Type1 Type12 Type13 Type3R Type4 Type4X

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	0635 4
RoHS Information	2CMT2015-005452
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business

Certificates and Declarations (Document Number)

cULus Certificate	9AKK107046A9925
Declaration of Conformity - CE	2CMT2015-005452
DNV GL Certificate	E-14107
Environmental Information	1SAC200077H0001
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005452

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.11 m
Package Level 1 Depth / Length	0.15 m
Package Level 1 Height	0.03 m
Package Level 1 Gross Weight	0.018 kg
Package Level 1 EAN	7320500306178

Classifications

Object Classification Code	P
ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC000223 - Front element for indicator light
ETIM 6	EC000223 - Front element for indicator light
ETIM 7	EC000223 - Front element for indicator light
eClass	V11.0 : 27371211

UNSPSC	39121500
E-Number (Finland)	2339005
E-Number (Norway)	4372573
E-Number (Sweden)	3716203

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range

