

PRODUCT-DETAILS

ACS580-01-046A-4

ACS580-01-046A-4 Pn 22 kW, I2n 45 A, Protection class IP21, EMC class C2



General Information

Global Commercial Alias	ACS580-01-046A-4
Product ID	3AXD50000038963
ABB Type Designation	ACS580-01-046A-4
EAN	6438177459286
Catalog Description	ACS580-01-046A-4 Pn 22 kW, I2n 45 A, Protection class IP21, EMC class C2

Ordering

Country of Origin	China (CN) Finland (FI)
Customs Tariff Number	85044084
EAN	6438177459286
Invoice Description	ACS580-01-046A-4 Pn 22 kW, I2n 45 A, Protection class IP21, EMC class C2
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece
Stocked At (Warehouses)	Central Stock Europe Central Stock Asia FIPSEEXPU

	US Drive Services
	SGRDC002EXPU
	CNIAB001EXPU
	SGIND002EXPU
	JPABB001EXPU
	AUABB024EXPU
	SGIND005EXPU

Dimensions

Product Net Height	490 mm
Product Net Length	229 mm
Product Net Weight	13.75 kg
Product Net Width	203 mm

Technical

Frequency (f)	50/60 Hz
Input Voltage (U _{in})	380 ... 480 V
Number of Phases	3
Output Current, Normal Use	45 A
Output Power, Light-Overload Use	22 kW
Output Power, Normal Use	22 kW

Additional Information

Product Main Type	ACS580
Product Name	Frequency converter

Categories

Drives → Low voltage AC drives → General purpose drives → ACS580-01 - Wall-mounted drive



