

PRODUCT-DETAILS

ACS580-01-246A-4

ACS580-01-246A-4 Pn 132 kW I2n 246 A,
Protection class IP21, EMC class C2



General Information

Global Commercial Alias	ACS580-01-246A-4
Product ID	3AUA0000080507
ABB Type Designation	ACS580-01-246A-4
EAN	6438177305637
Catalog Description	ACS580-01-246A-4 Pn 132 kW I2n 246 A, Protection class IP21, EMC class C2

Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
EAN	6438177305637
Invoice Description	ACS580-01-246A-4 Pn 132 kW I2n 246 A, Protection class IP21, EMC class C2
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece
Stocked At (Warehouses)	Central Stock Europe Central Stock Asia FIPSEEXPU

US Drive Services
 SGRDC002EXPU
 CNIAB001EXPU
 SGIND002EXPU
 JPABB001EXPU
 AUABB024EXPU
 SGIND005EXPU

Dimensions

Product Net Height	965 mm
Product Net Length	393 mm
Product Net Weight	69 kg
Product Net Width	300 mm

Technical

Frequency (f)	50/60 Hz
Input Voltage (U_{in})	380 ... 480 V
Number of Phases	3
Output Current, Normal Use	246 A
Output Power, Light-Overload Use	132 kW
Output Power, Normal Use	132 kW

Additional Information

Product Main Type	ACS580
Product Name	Frequency converter

Categories

Drives → Low voltage AC drives → General purpose drives → ACS580-01 - Wall-mounted drive



