## Product data sheet Characteristics

## GV2AF3

# TeSys GV2, interconnection block, to connect GV2 and LC1D09 to D38 contactor



Product availability: Stock - Normally stocked in distribution facility

Price\*: 3.20 USD



#### Main

| Range                              | Linergy              |  |
|------------------------------------|----------------------|--|
| Product name                       | FT                   |  |
| Device short name                  | GV2AF                |  |
| Product or component type          | Combination block    |  |
| Accessory / separate part category | Connection accessory |  |
| Range compatibility                | TeSys GV2<br>TeSys D |  |

#### Complementary

| Product compatibility          | LC1D09D38              |
|--------------------------------|------------------------|
| Poles description              | 3P                     |
| [le] rated operational current | 32 A                   |
| Quantity per set               | Set of 10              |
| Net weight                     | 0.04 Lb(US) (0.016 kg) |
|                                |                        |

#### Ordering and shipping details

| Category              | 22367 - MANUAL STR PROTECTOR - GV2 |   |
|-----------------------|------------------------------------|---|
| Discount Schedule     | I11                                | - |
| GTIN                  | 03389110569063                     |   |
| Nbr. of units in pkg. | 1                                  |   |
| Package weight(Lbs)   | 0.78 Oz (22 g)                     |   |
| Returnability         | Yes                                |   |
| Country of origin     | FR                                 |   |

## Packing Units

| Unit Type of Package 1       | PCE                    |
|------------------------------|------------------------|
| Package 1 Height             | 3.74 ln (9.5 cm)       |
| Package 1 width              | 3.94 ln (10 cm)        |
| Package 1 Length             | 5.91 ln (15 cm)        |
| Unit Type of Package 2       | BB1                    |
| Number of Units in Package 2 | 10                     |
| Package 2 Weight             | 9.17 Oz (260 g)        |
| Package 2 Height             | 3.74 ln (9.5 cm)       |
| Package 2 width              | 3.94 ln (10 cm)        |
| Package 2 Length             | 5.91 ln (15 cm)        |
| Unit Type of Package 3       | S03                    |
| Number of Units in Package 3 | 140                    |
| Package 3 Weight             | 9.03 Lb(US) (4.094 kg) |
| Package 3 Height             | 11.81 ln (30 cm)       |
| Package 3 width              | 11.81 ln (30 cm)       |
| Package 3 Length             | 15.75 ln (40 cm)       |
|                              |                        |

## Offer Sustainability

| Sustainable offer status   | Green Premium product  |  |
|----------------------------|--|--|
| REACh Regulation           | ☑ REACh Declaration  |  |
| REACh free of SVHC         | Yes  |  |
| EU RoHS Directive          | Compliant E EU RoHS Declaration  |  |
| Toxic heavy metal free     | Yes  |  |
| Mercury free               | Yes  |  |
| RoHS exemption information | ₫Yes   |  |
| China RoHS Regulation      | China RoHS Declaration   |  |
| Environmental Disclosure   | Product Environmental Profile  |  |
| WEEE                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |  |


#### Contractual warranty

| Warranty | 18 m | onths |
|----------|------|-------|

# GV2AF3


#### GV2AF01

Combination GV2ME + TeSys k contactor




GV2AF3

Combination GV2ME + TeSys d contactor



| GV2ME + | LC1D09D18 | LC1D25 and D32 |
|---------|-----------|----------------|
| b       | 176.4     | 186.8          |
| c1      | 94.1      | 100.4          |
| С       | 99.6      | 105.9          |

Combination GV2P + TeSys d contactor



| GV2P + | LC1D09D18 | LC1D25 and D32 |
|--------|-----------|----------------|
| b      | 176.4     | 186.8          |
| c1     | 100.1     | 106.4          |
| С      | 105.6     | 111.9          |
| d1     | 95        | 95             |

| GV2P + | LC1D09D18 | LC1D25 and D32 |
|--------|-----------|----------------|
| d      | 100.5     | 100.5          |

Product Life Status : Commercialised