

SILICA GEL BREATHER



FOR TRANSFORMER



CLEAR VIEW BREATHERS FOR DISTRIBUTION TRANSFORMERS



DTO-0 - 01 CONTAINER DIA 65 - BLUE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4"			FLANGED 80 DIA		
		PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER	PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER
DTO-0	100 GMS.	100-101	100-109	100-117	100-105	100-113	100-121
DTO-0	150 GMS.	100-102	100-110	100-118	100-106	100-114	100-122
DTO-0	200 GMS.	100-103	100-111	100-119	100-107	100-115	100-123
DTO-1	250 GMS.	100-104	100-112	100-120	100-108	100-116	100-124



DTO-0 - 01 CONTAINER DIA 65 - ORANGE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4"			FLANGED 80 DIA		
		PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER	PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER
DTO-0	100 GMS.	100-125	100-133	100-141	100-129	100-137	100-145
DTO-0	150 GMS.	100-126	100-134	100-142	100-130	100-138	100-146
DTO-0	200 GMS.	100-127	100-135	100-143	100-131	100-139	100-147
DTO-1	250 GMS.	100-128	100-136	100-144	100-132	100-140	100-148



DTO-1 & 2 CONTAINER DIA 100 - BLUE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4"		FLANGED 80 DIA	
		PLAIN TRANSPARENT	WIRE MESH COVER	PLAIN TRANSPARENT	WIRE MESH COVER
DTO-1	250 GMS.	100-149	100-153	100-151	100-155
DTO-2	500 GMS.	100-150	100-154	100-152	100-156



DTO-1 & 2 CONTAINER DIA 100 - ORANGE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4"		FLANGED 80 DIA	
		PLAIN TRANSPARENT	WIRE MESH COVER	PLAIN TRANSPARENT	WIRE MESH COVER
DTO-1	250 GMS.	100-157	100-161	100-159	100-163
DTO-2	500 GMS.	100-158	100-162	100-160	100-164

CLEAR VIEW BREATHERS - FOR DISTRIBUTION TRANSFORMERS



DTO-2 CONTAINER DIA 120 - BLUE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4" - 1"			FLANGED 115 DIA		
		PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER	PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER
DTO-2	500 GMS.	100-165	100-167	100-169	100-166	100-168	100-170



DTO-2 CONTAINER DIA 120 - ORANGE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4" - 1"			FLANGED 115 DIA		
		PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER	PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER
DTO-2	500 GMS.	100-171	100-173	100-175	100-172	100-174	100-176



DTO-3,4 & 4T CONTAINER DIA 120 - BLUE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4" - 1"			FLANGED 115 DIA		
		PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER	PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER
DTO-3	1000 GMS.	100-177	100-183	100-189	100-180	100-186	100-192
DTO-4	1500 GMS.	100-178	100-184	100-190	100-181	100-187	100-193
DTO-4T	2000 GMS.	100-179	100-185	100-191	100-182	100-188	100-194



DTO-3,4 & 4T CONTAINER DIA 120 - ORANGE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4" - 1"			FLANGED 115 DIA		
		PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER	PLAIN TRANSPARENT	S/S COVER	WIRE MESH COVER
DTO-3	1000 GMS.	100-195	100-201	100-207	100-198	100-204	100-210
DTO-4	1500 GMS.	100-196	100-202	100-208	100-199	100-205	100-211
DTO-4T	2000 GMS.	100-197	100-203	100-209	100-200	100-206	100-212

BREATHER SINGLE AND SERIES



BHEL DESIGN MODEL TYPE-2, 3, 4 & 5

MODEL	GEL QTY.	CONNECTION THREADED 1/2"
TYPE-2	0.850 KG.	100-487
TYPE-3	1.700 KG.	100-488
TYPE-4	3.200 KG.	100-489
TYPE-5	4.750 KG.	101-490



BHEL DESIGN MODEL 604634 & 604635

MODEL	GEL QTY.	CONNECTION THREADED 1'
604634	10.0 KG.	100-491
604635	15.0 KG.	100-492



BHEL DESIGN MODEL 604634 X 2 IN SERIES

MODEL	GEL QTY.	CONNECTION FLANGED
604634 X 2	10.0 KG. X 2 = 20.0 KG.	100-493



BHEL DESIGN MODEL 604635 X 3 IN SERIES

MODEL	GEL QTY.	CONNECTION FLANGED
604635 X 3	15.0 KG. X 3 = 45.0 KG.	100-494

CLEAR VIEW BREATHERS FOR POWER TRANSFORMERS



DTO-5 - 10 CONTAINER DIA 200 - BLUE

MODEL	GEL CAPACITY	MOUNTING - 1" BSP			MOUNTING - FLANGED 115 DIA		
		PLAIN CLEAR VIEW	WITH WIRE MESH	WITH S/S COVER	PLAIN CLEAR VIEW	WITH WIRE MESH	WITH S/S COVER
DTO-5	3.3 KG.	100-273	100-287	100-301	100-280	100-294	100-308
DTO-6	4.75 KG.	100-274	100-288	100-302	100-281	100-295	100-309
DTO-7	6.0 KG.	100-275	100-289	100-303	100-282	100-296	100-310
DTO-8	8.0 KG.	100-276	100-290	100-304	100-283	100-297	100-311
DTO-9	10.0 KG.	100-277	100-291	100-305	100-284	100-298	100-312
DTO-9A	12.0 KG.	100-278	100-292	100-306	100-285	100-299	100-313
DTO-10	15.0 KG.	100-279	100-293	100-307	100-286	100-300	100-314



DTO-5 - 10 CONTAINER DIA 200 - ORANGE

MODEL	GEL CAPACITY	MOUNTING - 1" BSP			MOUNTING - FLANGED 115 DIA		
		PLAIN CLEAR VIEW	WITH WIRE MESH	WITH S/S COVER	PLAIN CLEAR VIEW	WITH WIRE MESH	WITH S/S COVER
DTO-5	3.3 KG.	100-315	100-329	100-343	100-322	100-336	100-350
DTO-6	4.75 KG.	100-316	100-330	100-344	100-323	100-337	100-351
DTO-7	6.0 KG.	100-317	100-331	100-345	100-324	100-338	100-352
DTO-8	8.0 KG.	100-318	100-332	100-346	100-325	100-339	100-353
DTO-9	10.0 KG.	100-319	100-333	100-347	100-326	100-340	100-354
DTO-9A	12.0 KG.	100-320	100-334	100-348	100-327	100-341	100-355
DTO-10	15.0 KG.	100-321	100-335	100-349	100-328	100-342	100-356

CLEAR VIEW BREATHERS FOR DISTRIBUTION TRANSFORMER



DTO-3,4 & 4T CONTAINER DIA 150 - BLUE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4" - 1"		FLANGED 80 DIA		FLANGE DIA 115 DIA	
		PLAIN TRANSPARENT	WIRE MESH COVER	PLAIN TRANSPARENT	WIRE MESH COVER	PLAIN TRANSPARENT	WIRE MESH COVER
DTO-3	1000 GMS.	100-213	100-222	100-216	100-225	100-219	100-228
DTO-4	1500 GMS.	100-214	100-223	100-217	100-226	100-220	100-229
DTO-4T	2000 GMS.	100-215	100-224	100-218	100-227	100-221	100-230



DTO-3,4 & 4T CONTAINER DIA 150 - ORANGE SILICA GEL

MODEL	GEL CAPACITY	MTG. THREADED 1/2" - 3/4" - 1"		FLANGED 80 DIA		FLANGE DIA 115 DIA	
		PLAIN TRANSPARENT	WIRE MESH COVER	PLAIN TRANSPARENT	WIRE MESH COVER	PLAIN TRANSPARENT	WIRE MESH COVER
DTO-3	1000 GMS.	100-231	100-240	100-234	100-243	100-237	100-246
DTO-4	1500 GMS.	100-232	100-241	100-235	100-244	100-238	100-247
DTO-4T	2000 GMS.	100-233	100-242	100-236	100-245	100-239	100-248



DTO-3 - 4 - 4T (2 IN SERIES) DIA 150

MODEL	GEL QTY	BLUE	ORANGE
DTO-3X2	1.0 KG X 2 = 2.0 KG.	100-249	100-252
DTO-4X2	1.5 KG X 2 = 3.0 KG.	100-250	100-253
DTO-4TX2	2.0 KG X 2 = 4.0 KG.	100-251	100-254

DTO-3 - 4 - 4T (2 IN SERIES) DIA 120

MODEL	GEL QTY	BLUE	ORANGE
DTO-3X2	1.0 KG X 2 = 2.0 KG.	100-255	100-258
DTO-4X2	1.5 KG X 2 = 3.0 KG.	100-256	100-259
DTO-4TX2	2.0 KG X 2 = 4.0 KG.	100-257	100-260



DTO-3 - 4 - 4T (3 IN SERIES) DIA 150

MODEL	GEL QTY	BLUE	ORANGE
DTO-3X3	1.0 KG X 3 = 3.0 KG.	100-261	100-264
DTO-4X3	1.5 KG X 3 = 4.5 KG.	100-262	100-265
DTO-4TX3	2.0 KG X 3 = 6.0 KG.	100-263	100-266

DTO-3 - 4 - 4T (3 IN SERIES) DIA 120

MODEL	GEL QTY	BLUE	ORANGE
DTO-3X3	1.0 KG X 3 = 3.0 KG.	100-267	100-270
DTO-4X3	1.5 KG X 3 = 4.5 KG.	100-268	100-271
DTO-4TX3	2.0 KG X 3 = 6.0 KG.	100-269	100-272

BREATHER ASSEMBLY 2 IN SERIES



DTO-5 - 10 (2 IN SERIES) - BLUE & ORANGE (TRANSPARENT)

MODEL	GEL CAPACITY	BLUE	ORANGE
DTO-5X2	3.3X2=6.6 KG	100-357	100-364
DTO-6X2	4.75X2=9.5 KG	100-358	100-365
DTO-7X2	6.0X2=12.0 KG	100-359	100-366
DTO-8X2	8.0X2=16.0 KG	100-360	100-367
DTO-9X2	10.0X2=20.0 KG	100-361	100-368
DTO-9AX2	12.0X2=24.0 KG	100-362	100-369
DTO-10X2	15.0X2=30.0 KG	100-363	100-370



DTO-5 - 10 (2 IN SERIES) WITH WIRE MESH - BLUE & ORANGE

MODEL	GEL CAPACITY	BLUE	ORANGE
DTO-5X2	3.3X2=6.6 KG	100-371	100-378
DTO-6X2	4.75X2=9.5 KG	100-372	100-379
DTO-7X2	6.0X2=12.0 KG	100-373	100-380
DTO-8X2	8.0X2=16.0 KG	100-374	100-381
DTO-9X2	10.0X2=20.0 KG	100-375	100-382
DTO-9AX2	12.0X2=24.0 KG	100-376	100-383
DTO-10X2	15.0X2=30.0 KG	100-377	100-384

BREATHER ASSEMBLY 3 IN SERIES



DTO-5 - 10 (3 IN SERIES) - BLUE & ORANGE (TRANSPARENT)

MODEL	GEL CAPACITY	BLUE	ORANGE
DTO-5X3	3.3X3=9.9 KG	100-399	100-406
DTO-6X3	4.75X3=14.25 KG	100-400	100-407
DTO-7X3	6.0X3=18.0 KG	100-401	100-408
DTO-8X3	8.0X3=24.0 KG	100-402	100-409
DTO-9X3	10.0X3=30.0 KG	100-403	100-410
DTO-9AX3	12.0X3=36.0 KG	100-404	100-411
DTO-10X3	15.0X3=45.0 KG	100-405	100-412



DTO-5 - 10 (3 IN SERIES) WITH WIRE MESH - BLUE & ORANGE

MODEL	GEL CAPACITY	BLUE	ORANGE
DTO-5X3	3.3X3=9.9 KG	100-413	100-420
DTO-6X3	4.75X3=14.25 KG	100-414	100-421
DTO-7X3	6.0X3=18.0 KG	100-415	100-422
DTO-8X3	8.0X3=24.0 KG	100-416	100-423
DTO-9X3	10.0X3=30.0 KG	100-417	100-424
DTO-9AX3	12.0X3=36.0 KG	100-418	100-425
DTO-10X3	15.0X3=45.0 KG	100-419	100-426

METALLIC BREATHERS



MODEL : DTO-1 - 2 (BLUE)

METALLIC CASTED BREATHERS WITH TIN CONTAINER

MODEL	GEL QTY	MTG. THREADED 1/2"	MTG. FLANGED 80 DIA
DTO-1	250 GMS.	100-441	100-443
DTO-2	500 GMS.	100-442	100-444



MODEL : DTO-1 - 2

METALLIC CASTED BREATHERS

MODEL	GEL QTY	MTG. THREADED 1/2"		MTG. FLANGED 80 DIA	
		BLUE	ORANGE	BLUE	ORANGE
DTO-1	250 GMS.	100-445	100-449	100-447	100-451
DTO-2	500 GMS.	100-446	100-450	100-448	100-452



MODEL : DTO-3 - 4 - 4T

METALLIC CASTED BREATHERS

MODEL	GEL QTY	MTG. THREADED 1/2"		MTG. FLANGED 115 DIA	
		BLUE	ORANGE	BLUE	ORANGE
DTO-3	1.0 KG.	100-453	100-459	100-456	100-462
DTO-4	1.5 KG.	100-454	100-460	100-457	100-463
DTO-4T	2.0 KG.	100-455	100-461	100-458	100-464



MODEL : DTO-5 - 6

METALLIC CASTED BREATHERS

MODEL	GEL QTY	MTG. THREADED 1"		MTG. FLANGED 115 DIA	
		BLUE	ORANGE	BLUE	ORANGE
DTO-5	3.3 KG.	100-465	100-469	100-467	100-471
DTO-6	4.75 KG.	100-466	100-470	100-468	100-472



MODEL : DTO-5 TO 10

METALLIC FABRICATED BREATHERS

MODEL	GEL QTY	MTG. FLANGED 115 DIA	
		BLUE	ORANGE
DTO-5	3.3 KG.	100-473	100-480
DTO-6	4.75 KG.	100-474	100-481
DTO-7	6.0 KG.	100-475	100-482
DTO-8	8.0 KG.	100-476	100-483
DTO-9	10.0 KG.	100-477	100-484
DTO-9A	12.0 KG.	100-478	100-485
DTO-10	15.0 KG.	100-479	100-486

BREATHER ASSEMBLY 2 IN SERIES



DTO-5 - 10 (2 IN SERIES) WITH S/S ENCLOSURE - BLUE & ORANGE

MODEL	GEL CAPACITY	BLUE	ORANGE
DTO-5X2	3.3X2=6.6 KG	100-385	100-392
DTO-6X2	4.75X2=9.5 KG	100-386	100-393
DTO-7X2	6.0X2=12.0 KG	100-387	100-394
DTO-8X2	8.0X2=16.0 KG	100-388	100-395
DTO-9X2	10.0X2=20.0 KG	100-389	100-396
DTO-9AX2	12.0X2=24.0 KG	100-390	100-397
DTO-10X2	15.0X2=30.0 KG	100-391	100-398

BREATHER ASSEMBLY 3 IN SERIES



DTO-5 - 10 (3 IN SERIES) WITH S/S ENCLOSURE - BLUE & ORANGE

MODEL	GEL CAPACITY	BLUE	ORANGE
DTO-5X3	3.3X3=9.9 KG	100-427	100-434
DTO-6X3	4.75X3=14.25 KG	100-428	100-435
DTO-7X3	6.0X3=18.0 KG	100-429	100-436
DTO-8X3	8.0X3=24.0 KG	100-430	100-437
DTO-9X3	10.0X3=30.0 KG	100-431	100-438
DTO-9AX3	12.0X3=36.0 KG	100-432	100-439
DTO-10X3	15.0X3=45.0 KG	100-433	100-440

OUR OTHER PRODUCTS :

- PRISMATIC AND KENYA TYPE
OIL LEVEL INDICATOR
- GAS AND OIL OPERATED BUCHHOLZ RELAY
 - GAS COLLECTING DEVICE
 - MAGNETIC OIL GAUGE
 - OIL SURGE RELAY



YOGYA ENTERPRISES

284 003, In Front of A Cabin, AC Loco Shed Road, Mahaveeranpura,
Uttar Pradesh, Jhansi, India. Ph. : +919415030985