

CorePro LEDbulb

LED Globe 60W E27 WW 230V G93 FR ND/4

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



CorePro LEDbulb

Product data

• General Information

Cap-Base E27 [E27] G93 [G 93mm] **Bulb Shape** Nominal Lifetime 15000 h (Nom) Switching Cycle Technical Type 50000X

9-60W


• Light Technical

Colour Code 827 [CCT of 2700K] Luminous Flux 806 lm (Nom) Luminous Flux 806 lm (Rated) (Nom) Colour Designation Warm White (WW) Colour Temperature, 2700 K horizontal (Nom) Luminous Efficacy 89.6 lm/W (rated) (Nom) Color Consistency 6 steps Colour Rendering 80 Index horiz (Nom) 70 % LLMF At End Of Nominal Lifetime (Nom)

• Operating and Electrical

Input Frequency 50 to 60 Hz Power (Rated) (Nom) Wattage Equivalent 60 W Starting Time (Max) 0.5 s Warm Up Time To instant full light 60% Light (Nom) Power Factor (Nom) 0.5

Dimensional drawing



230 V Voltage (Nom)

• Temperature

85 °C T-Case Maximum (Nom)

• Controls and Dimming

Dimmable No

Mechanical and Housing

Bulb Finish Frosted (FR)

Approval and Application

Suitable For Accent Lighting Energy Efficiency A+ Label **Energy Consumption** 9 kWh kWh/1000 h

• Product Data

Full product code 871829171704100 Order product name LED Globe 60W E27 WW 230V G93 FR ND/4 EAN/UPC - Product 8718291717041 Order code 71704100 Numerator -Quantity Per Pack Numerator - Packs per outer box Material Nr. (12NC) 929001179901 Net Weight (Piece) 0.130 kg

LED 9-60W E27 2700K 230V G93 FR ND

LED Globe 60W E27 WW 230V G93 FR ND/4 93 mm 150 mm

Dimensional drawing



Photometric data

